

LOOKING FOR SOLUTIONS FOR THE SOTORAGE AND HANDLING OF GRAIN. LOOKING FOR SOLUTIONS FOR THE SOTORAGE AND HANDLING OF GRAIN. LOOKING FOR SOLUTIONS FOR THE SOTORAGE AND HANDLING OF GRAIN.
BUSCA SOLUCIONES PARA EL ALMACENAJE Y LA MANIPULACION DE CEREALES. BUSCA SOLUCIONES PARA EL ALMACENAJE Y LA MANIPULACION DE CEREALES. BUSCA SOLUCIONES PARA EL ALMACENAJE Y LA MANIPULACION DE CEREALES.
SMART STORAGE SOLUTIONS FROM SILOS CORDOBA / SOLUCIONES DE ALMACENAJE INTELIGENTE



平底式穀物儲存槽



SILOS AND STORAGE PLANTS



SILOS Y PLANTAS DE ALMACENAJE



瑋洲企業有限公司
地址：台灣高雄市前鎮區武德街135巷24號
信件請寄：高雄市郵政信箱1394號
Tel：07-7169249 Fax：07-2134620

E-Mail: agri-machine@weizhou.com.tw
<http://www.weizhou.com.tw/Agrimachine/Index-import.htm#f>
Line : weizohu1995 Skype : service450429 QQ : 1467808036
Viber: +886972326392 WhatsApp: +886972326392 Wechat: walterhsu1995

SMART STORAGE SOLUTIONS

SOLUCIONES DE ALMACENAJE INTELIGENTE



FLAT SILOS

diameter	from	to(m ³)
4,58	102	383
5,35	140	524
6,11	218	686
6,88	279	872
7,64	347	1079
8,40	424	1308
9,17	661	1564
9,93	782	1850
10,70	913	2143
11,46	1054	2465
12,22	1208	2812
12,99	1374	3186
13,75	1551	3582
14,51	1739	4001
15,28	1942	4450
16,04	2155	4919
16,81	2383	5419
17,57	2621	5938
18,33	2872	6482
19,10	3140	7059
19,86	3428	7676
20,63	3712	8284
21,39	4028	8960
22,92	4673	10317
23,68	5035	11083
24,45	5387	11809
27,50	6989	15114
30,55	8840	18867
32,08	9866	20923
36,66	20570	27789
41,25	26634	35774

HOPPER SILOS 45°

diameter	from	to(m ³)
4,58	95	320
5,35	134	442
6,11	181	582
6,88	237	745
7,64	301	928
8,40	375	1133
9,17	460	1364
10,70	663	1893

HOPPER SILOS 60°

diameter	from	to(m ³)
1,85	5	10
2,55	10	28
2,80	13	34
3,05	25	45
3,50	31	63
4,58	100	326
5,35	143	425
6,88	255	692

SILOS AND STORAGE PLANTS

SILOS Y PLANTAS DE ALMACENAJE



SMART STORAGE SOLUTIONS SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE
PLANTS

SILOS Y PLANTAS DE
ALMACENAJE

Flat silos

- Silos manufactured with galvanized steel S350GD of high elastic tolerance and with Z450 minimum coating equivalent to 450 g/m² of zinc.
- 8,8 quality dichromate high tensile bolts in all of our product range.
- Washers with neoprene to ensure a waterproof seal.
- Galvanized reinforced exteriors, regardless of thickness, that provide excellent anti-corrosion qualities.
- Galvanized cross section roof structure on models with a diameter superior to 12,22 meters.
- Our method of calculating thickness is more demanding than that established by standard EUROCODIGO 1.
- Stairs and platforms comply with regulation UNE-EN ISO 14122.





SMART STORAGE SOLUTIONS SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE
PLANTS

SILOS Y PLANTAS DE
ALMACENAJE

MOD. 4,58/..				MOD. 5,35/..				MOD. 6,11/..				MOD. 6,88/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
4,58/5	102	5,71	7,02	5,35/5	140	5,71	7,31	6,11/6	218	6,86	8,63	6,88/6	279	6,86	8,94
4,58/6	120	6,86	8,13	5,35/6	165	6,86	8,46	6,11/7	251	8,01	9,77	6,88/7	321	8,01	10,08
4,58/7	139	8,01	9,27	5,35/7	191	8,01	9,60	6,11/8	285	9,15	10,92	6,88/8	364	9,15	11,22
4,58/8	158	9,15	10,42	5,35/8	217	9,15	10,75	6,11/9	318	10,30	12,06	6,88/9	406	10,30	12,37
4,58/9	176	10,30	11,56	5,35/9	242	10,30	11,89	6,11/10	351	11,44	13,20	6,88/10	449	11,44	13,51
4,58/10	195	11,44	12,71	5,35/10	268	11,44	13,03	6,11/11	385	12,58	14,35	6,88/11	491	12,58	14,66
4,58/11	214	12,58	13,85	5,35/11	294	12,58	14,18	6,11/12	418	13,73	15,49	6,88/12	533	13,73	15,80
4,58/12	233	13,73	14,99	5,35/12	319	13,73	15,32	6,11/13	452	14,87	16,64	6,88/13	576	14,87	16,94
4,58/13	251	14,87	16,14	5,35/13	345	14,87	16,47	6,11/14	485	16,02	17,78	6,88/14	618	16,02	18,09
4,58/14	270	16,02	17,28	5,35/14	370	16,02	17,61	6,11/15	519	17,16	18,92	6,88/15	660	17,16	19,23
4,58/15	289	17,16	18,43	5,35/15	396	17,16	18,75	6,11/16	552	18,30	20,07	6,88/16	703	18,30	20,38
4,58/16	308	18,30	19,57	5,35/16	422	18,30	19,90	6,11/17	585	19,45	21,21	6,88/17	745	19,45	21,52
4,58/17	327	19,45	20,71	5,35/17	447	19,45	21,04	6,11/18	619	20,59	22,36	6,88/18	788	20,59	22,66
4,58/18	345	20,59	21,86	5,35/18	473	20,59	22,19	6,11/19	652	21,74	23,50	6,88/19	830	21,74	23,81
4,58/19	364	21,74	23,00	5,35/19	499	21,74	23,33	6,11/20	686	22,88	24,64	6,88/20	872	22,88	24,95
4,58/20	383	22,88	24,15	5,35/20	524	22,88	24,47								

MOD. 7,64/..				MOD. 8,40/..				MOD. 9,17/..				MOD. 9,93/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
7,64/6	347	6,86	9,07	8,40/6	424	6,86	9,28	9,17/8	661	9,15	11,79	9,93/8	782	9,15	12,02
7,64/7	400	8,01	10,21	8,40/7	487	8,01	10,42	9,17/9	736	10,30	12,94	9,93/9	871	10,30	13,16
7,64/8	452	9,15	11,36	8,40/8	550	9,15	11,56	9,17/10	811	11,44	14,08	9,93/10	960	11,44	14,31
7,64/9	504	10,30	12,50	8,40/9	613	10,30	12,71	9,17/11	886	12,58	15,22	9,93/11	1049	12,58	15,45
7,64/10	556	11,44	13,65	8,40/10	677	11,44	13,85	9,17/12	962	13,73	16,37	9,93/12	1138	13,73	16,60
7,64/11	609	12,58	14,79	8,40/11	740	12,58	15,00	9,17/13	1.037	14,87	17,51	9,93/13	1227	14,87	17,74
7,64/12	661	13,73	15,93	8,40/12	803	13,73	16,14	9,17/14	1.112	16,02	18,66	9,93/14	1316	16,02	18,88
7,64/13	713	14,87	17,08	8,40/13	866	14,87	17,28	9,17/15	1.188	17,16	19,80	9,93/15	1405	17,60	20,03
7,64/14	765	16,02	18,22	8,40/14	929	16,02	18,43	9,17/16	1.263	18,30	20,94	9,93/16	1494	18,30	21,17
7,64/15	818	17,16	19,37	8,40/15	993	17,16	19,57	9,17/17	1.338	19,45	22,09	9,93/17	1583	19,45	22,32
7,64/16	870	18,30	20,51	8,40/16	1.056	18,30	20,72	9,17/18	1.413	20,59	23,23	9,93/18	1672	20,59	23,46
7,64/17	922	19,45	21,65	8,40/17	1.119	19,45	21,86	9,17/19	1.489	21,74	24,38	9,93/19	1761	21,74	24,60
7,64/18	974	20,59	22,80	8,40/18	1.182	20,59	23,00	9,17/20	1.564	22,88	25,52	9,93/20	1850	22,88	25,75
7,64/19	1.027	21,74	23,94	8,40/19	1.245	21,74	24,15								
7,64/20	1.079	22,88	25,09	8,40/20	1.308	22,88	25,29								





SMART STORAGE SOLUTIONS

SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE PLANTS

SILOS Y PLANTAS DE ALMACENAJE

MOD. 10,70/..				MOD. 11,46/..				MOD. 12,22/..				MOD. 12,99/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
10,70/8	913	9,15	12,27	11,46/8	1.054	9,15	12,46	12,22/8	1.208	9,15	12,68	12,99/8	1.374	9,15	12,87
10,70/9	1.015	10,30	13,41	11,46/9	1.172	10,30	13,60	12,22/9	1.341	10,30	13,82	12,99/9	1.525	10,30	14,01
10,70/10	1.118	11,44	14,55	11,46/10	1.289	11,44	14,75	12,22/10	1.475	11,44	14,97	12,99/10	1.676	11,44	15,15
10,70/11	1.220	12,58	15,70	11,46/11	1.407	12,58	15,89	12,22/11	1.609	12,58	16,11	12,99/11	1.827	12,58	16,29
10,70/12	1.323	13,73	16,84	11,46/12	1.524	13,73	17,04	12,22/12	1.742	13,73	17,26	12,99/12	1.978	13,73	17,43
10,70/13	1.425	14,87	17,99	11,46/13	1.642	14,87	18,18	12,22/13	1.876	14,87	18,40	12,99/13	2.129	14,87	18,57
10,70/14	1.528	16,02	19,13	11,46/14	1.760	16,02	19,32	12,22/14	2.010	16,02	19,54	12,99/14	2.280	16,02	19,70
10,70/15	1.630	17,16	20,27	11,46/15	1.877	17,16	20,47	12,22/15	2.143	17,16	20,69	12,99/15	2.431	17,16	20,85
10,70/16	1.733	18,30	21,42	11,46/16	1.995	18,30	21,61	12,22/16	2.277	18,30	21,83	12,99/16	2.582	18,30	21,99
10,70/17	1.835	19,45	22,56	11,46/17	2.112	19,45	22,76	12,22/17	2.411	19,45	22,98	12,99/17	2.733	19,45	23,13
10,70/18	1.938	20,59	23,71	11,46/18	2.230	20,59	23,90	12,22/18	2.545	20,59	24,12	12,99/18	2.884	20,59	24,27
10,70/19	2.040	21,74	24,85	11,46/19	2.347	21,74	25,04	12,22/19	2.678	21,74	25,26	12,99/19	3.035	21,74	25,41
10,70/20	2.143	22,88	25,99	11,46/20	2.465	22,88	26,19	12,22/20	2.812	22,88	26,41	12,99/20	3.186	22,88	26,55

MOD. 13,75/..				MOD. 14,51/..				MOD. 15,28/..				MOD. 16,04/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
13,75/8	1.551	9,15	13,02	14,51/8	1.739	9,15	13,28	15,28/8	1.942	9,15	13,53	16,04/8	2.155	9,15	13,70
13,75/9	1.720	10,30	14,16	14,51/9	1.927	10,30	14,43	15,28/9	2.151	10,30	14,67	16,04/9	2.385	10,30	14,85
13,75/10	1.889	11,44	15,31	14,51/10	2.116	11,44	15,57	15,28/10	2.360	11,44	15,81	16,04/10	2.615	11,44	15,99
13,75/11	2.059	12,58	16,45	14,51/11	2.304	12,58	16,71	15,28/11	2.570	12,58	16,95	16,04/11	2.846	12,58	17,13
13,75/12	2.228	13,73	17,59	14,51/12	2.493	13,73	17,86	15,28/12	2.778	13,73	18,09	16,04/12	3.076	13,73	18,28
13,75/13	2.397	14,87	18,74	14,51/13	2.682	14,87	19,00	15,28/13	2.987	14,87	19,23	16,04/13	3.307	14,87	19,42
13,75/14	2.566	16,02	19,88	14,51/14	2.870	16,02	20,15	15,28/14	3.197	16,02	20,37	16,04/14	3.537	16,02	20,57
13,75/15	2.736	17,16	21,03	14,51/15	3.059	17,16	21,29	15,28/15	3.405	17,16	21,51	16,04/15	3.767	17,16	21,71
13,75/16	2.905	18,30	22,17	14,51/16	3.247	18,30	22,43	15,28/16	3.614	18,30	22,65	16,04/16	3.998	18,30	22,85
13,75/17	3.074	19,45	23,31	14,51/17	3.436	19,45	23,58	15,28/17	3.823	19,45	23,79	16,04/17	4.228	19,45	24,00
13,75/18	3.244	20,59	24,46	14,51/18	3.624	20,59	24,72	15,28/18	4.032	20,59	24,93	16,04/18	4.458	20,59	25,14
13,75/19	3.413	21,74	25,60	14,51/19	3.813	21,74	25,87	15,28/19	4.241	21,74	26,07	16,04/19	4.689	21,74	26,29
13,75/20	3.582	22,88	26,75	14,51/20	4.001	22,88	27,01	15,28/20	4.450	22,88	27,21	16,04/20	4.919	22,88	27,43



SOLUCIONES DE ALMACENAJE INTELIGENTE

INTELIGENTE SMART STORAGE SOLUTIONS



SMART STORAGE SOLUTIONS SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE
PLANTS

SILOS Y PLANTAS DE
ALMACENAJE



MOD. 16,81/..				MOD. 17,57/..				MOD. 18,33/..				MOD. 19,10/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
16,81/8	2.383	9,15	13,93	17,57/8	2.621	9,15	14,15	18,33/8	2.872	9,15	14,33	19,10/8	3.140	9,15	14,56
16,81/9	2.636	10,30	15,07	17,57/9	2.898	10,30	15,29	18,33/9	3.173	10,30	15,48	19,10/9	3.466	10,30	15,70
16,81/10	2.889	11,44	16,22	17,57/10	3.174	11,44	16,43	18,33/10	3.474	11,44	16,62	19,10/10	3.793	11,44	16,85
16,81/11	3.142	12,58	17,36	17,57/11	3.450	12,58	17,58	18,33/11	3.774	12,58	17,77	19,10/11	4.120	12,58	17,99
16,81/12	3.395	13,73	18,50	17,57/12	3.727	13,73	18,72	18,33/12	4.075	13,73	18,91	19,10/12	4.446	13,73	19,13
16,81/13	3.648	14,87	19,65	17,57/13	4.003	14,87	19,87	18,33/13	4.376	14,87	20,05	19,10/13	4.773	14,87	20,28
16,81/14	3.901	16,02	20,79	17,57/14	4.280	16,02	21,01	18,33/14	4.677	16,02	21,20	19,10/14	5.099	16,02	21,42
16,81/15	4.154	17,16	21,94	17,57/15	4.556	17,16	22,15	18,33/15	4.978	17,16	22,34	19,10/15	5.426	17,16	22,57
16,81/16	4.407	18,30	23,08	17,57/16	4.832	18,30	23,30	18,33/16	5.279	18,30	23,49	19,10/16	5.753	18,30	23,71
16,81/17	4.660	19,45	24,22	17,57/17	5.109	19,45	24,44	18,33/17	5.579	19,45	24,63	19,10/17	6.079	19,45	24,85
16,81/18	4.913	20,59	25,37	17,57/18	5.385	20,59	25,59	18,33/18	5.880	20,59	25,77	19,10/18	6.406	20,59	26,00
16,81/19	5.166	21,74	26,51	17,57/19	5.662	21,74	26,73	18,33/19	6.181	21,74	26,92	19,10/19	6.733	21,74	27,14
16,81/20	5.419	22,88	27,66	17,57/20	5.938	22,88	27,87	18,33/20	6.482	22,88	28,06	19,10/20	7.059	22,88	28,29

MOD. 19,86/..				MOD. 20,63/..				MOD. 21,39/..				MOD. 22,92/..				MOD. 23,68/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
19,86/8	3428	9,15	14,89	20,63/8	3.712	9,15	15,08	21,39/8	4028	9,15	15,33	22,92/8	4.673	9,15	15,69	23,68/8	5035	9,15	15,99
19,86/9	3782	10,30	16,03	20,63/9	4.093	10,30	16,22	21,39/9	4439	10,30	16,47	22,92/9	5.143	10,30	16,84	23,68/9	5539	10,30	17,13
19,86/10	4136	11,44	17,18	20,63/10	4.474	11,44	17,36	21,39/10	4850	11,44	17,62	22,92/10	5.613	11,44	17,98	23,68/10	6043	11,44	18,28
19,86/11	4490	12,58	18,32	20,63/11	4.855	12,58	18,50	21,39/11	5261	12,58	18,76	22,92/11	6.084	12,58	19,12	23,68/11	6547	12,58	19,42
19,86/12	4844	13,73	19,47	20,63/12	5.236	13,73	19,64	21,39/12	5672	13,73	19,91	22,92/12	6.554	13,73	20,27	23,68/12	7051	13,73	20,57
19,86/13	5198	14,87	20,61	20,63/13	5.617	14,87	20,74	21,39/13	6083	14,87	21,05	22,92/13	7.025	14,87	21,41	23,68/13	7555	14,87	21,71
19,86/14	5552	16,02	21,75	20,63/14	5.998	16,02	21,92	21,39/14	6494	16,02	22,19	22,92/14	7.495	16,02	22,56	23,68/14	8059	16,02	22,85
19,86/15	5906	17,16	22,90	20,63/15	6.380	17,16	23,06	21,39/15	6905	17,16	23,34	22,92/15	7.965	17,16	23,70	23,68/15	8563	17,16	24,00
19,86/16	6260	18,30	24,04	20,63/16	6.760	18,30	24,20	21,39/16	7316	18,30	24,48	22,92/16	8.436	18,30	24,84	23,68/16	9067	18,30	25,14
19,86/17	6614	19,45	25,19	20,63/17	7.141	19,45	25,34	21,39/17	7727	19,45	25,63	22,92/17	8.906	19,45	25,99	23,68/17	9571	19,45	26,29
19,86/18	6968	20,59	26,33	20,63/18	7.522	20,59	26,48	21,39/18	8138	20,59	26,77	22,92/18	9.376	20,59	27,13	23,68/18	10075	20,59	27,43
19,86/19	7322	21,74	27,47	20,63/19	7.903	21,74	27,60	21,39/19	8549	21,74	27,91	22,92/19	9.847	21,74	28,28	23,68/19	10579	21,74	28,57
19,86/20	7676	22,88	28,62	20,63/20	8.284	22,88	28,76	21,39/20	8960	22,88	29,06	22,92/20	10.317	22,88	29,42	23,68/20	11083	22,88	29,72

SMART STORAGE SOLUTIONS SOLUCIONES DE ALMACENAJE INTELIGENTE
SOLUCIONES DE ALMACENAJE INTELIGENTE SMART STORAGE SOLUTIONS

SMART STORAGE SOLUTIONS SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE PLANTS

SILOS Y PLANTAS DE ALMACENAJE



MOD. 24,45/..				MOD. 27,50/..				MOD. 30,55/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
24,45/8	5.387	9,15	16,13	27,50/8	6.989	9,15	17,01	30,55/8	8.840	9,15	17,76
24,45/9	5.922	10,30	17,28	27,50/9	7.666	10,30	18,16	30,55/9	9.675	10,30	18,91
24,45/10	6.457	11,44	18,42	27,50/10	8.343	11,44	19,30	30,55/10	10.511	11,44	20,05
24,45/11	6.992	12,58	19,56	27,50/11	9.020	12,58	20,44	30,55/11	11.347	12,58	21,19
24,45/12	7.528	13,73	20,71	27,50/12	9.697	13,73	21,59	30,55/12	12.182	13,73	22,34
24,45/13	8.063	14,87	21,85	27,50/13	10.374	14,87	22,73	30,55/13	13.018	14,87	23,48
24,45/14	8.598	16,02	23,00	27,50/14	11.051	16,02	23,88	30,55/14	13.854	16,02	24,63
24,45/15	9.133	17,16	24,14	27,50/15	11.728	17,16	25,02	30,55/15	14.689	17,16	25,77
24,45/16	9.668	18,30	25,28	27,50/16	12.405	18,30	26,16	30,55/16	15.525	18,30	26,91
24,45/17	10.204	19,45	26,43	27,50/17	13.083	19,45	27,31	30,55/17	16.361	19,45	28,06
24,45/18	10.739	20,59	27,57	27,50/18	13.760	20,59	28,45	30,55/18	17.196	20,59	29,20
24,45/19	11.274	21,74	28,72	27,50/19	14.437	21,74	29,60	30,55/19	18.032	21,74	30,35
24,45/20	11.809	22,88	29,86	27,50/20	15.114	22,88	30,74	30,55/20	18.867	22,88	31,49

MOD. 32,08/..				MOD. 36,66/..				MOD. 41,25/..			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
32,08/8	9.866	9,15	18,38	36,66/14	20.570	16,01	26,53	41,25/14	26.634	16,02	27,84
32,08/9	10.788	10,30	19,52	36,66/15	21.773	17,15	27,67	41,25/15	28.157	17,16	28,98
32,08/10	11.709	11,44	20,66	36,66/16	22.977	18,30	28,82	41,25/16	29.681	18,30	30,12
32,08/11	12.630	12,58	21,80	36,66/17	24.179	19,44	29,96	41,25/17	31.204	19,45	31,27
32,08/12	13.552	13,73	22,94	36,66/18	25.382	20,58	31,10	41,25/18	32.728	20,59	32,41
32,08/13	14.473	14,87	24,08	36,66/19	26.586	21,73	32,25	41,25/19	34.251	21,74	33,56
32,08/14	15.395	16,02	25,22	36,66/20	27.789	22,87	33,39	41,25/20	35.774	22,88	34,70
32,08/15	16.316	17,16	26,36								
32,08/16	17.237	18,30	27,50								
32,08/17	18.159	19,45	28,64								
32,08/18	19.080	20,59	29,78								
32,08/19	20.602	21,74	30,92								
32,08/20	20.923	22,88	32,06								

