

LOOKING FOR SOLUTIONS FOR THE SOTORAGE AND HANDLING OF GRAIN. LOOKING FOR SOLUTIONS FOR THE SOTORAGE AND HANDLING OF GRAIN. LOOKING FOR SOLUTIONS FOR THE SOTORAGE AND HANDLING OF GRAIN.
BUSCA SOLUCIONES PARA EL ALMACENAJE Y LA MANIPULACION DE CEREAL. BUSCA SOLUCIONES PARA EL ALMACENAJE Y LA MANIPULACION DE CEREAL. BUSCA SOLUCIONES PARA EL ALMACENAJE Y LA MANIPULACION DE CEREAL.
SMART STORAGE SOLUTIONS FROM SILOS CORDOBA / SOLUCIONES DE ALMACENAJE INTELIGENTE



斗料式穀物儲存槽



SILOS AND STORAGE PLANTS



SILOS Y PLANTAS DE ALMACENAJE



瑋洲企業有限公司
地址：台灣高雄市前鎮區武德街135巷24號
信件請寄：高雄市郵政信箱1394號
Tel：07-7169249 Fax：07-2134620

E-Mail: agri-machine@weizhou.com.tw
<http://www.weizhou.com.tw/Agrimachine/Index-import.htm#>
Line : weizohu1995 Skype : service450429 QQ : 1467808036
Viber: +886972326392 WhatsApp: +886972326392 Wechat: walterhsu1995

SMART STORAGE SOLUTIONS

SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE SOLUTIONS

SILOS Y PLANTAS DE ALMACENAJE

Hopper silos

- Silos manufactured with galvanized steel S350GD of high elastic tolerance and with Z450 minimum coating equivalent to 450 g/m² of zinc.
- 8,8 quality dichromate high tensile bolts in all of our product range.
- Washers with neoprene to ensure a waterproof seal.
- A shallower corrugated wave to diminish the adherence of product inside.
- Galvanized reinforced exteriors, regardless of thickness, that provide excellent anti-corrosion qualities.
- Hot galvanized end support structure.
- Our method of calculating thickness is more demanding than that established by standard EUROCODIGO 1.
- Stairs and platforms comply with directive UNE-EN ISO 14122.





SMART STORAGE SOLUTIONS

SOLUCIONES DE ALMACENAJE INTELIGENTE


hopper silos 45°

SILOS AND STORAGE PLANTS

SILOS Y PLANTAS DE ALMACENAJE

MOD. 4,58/.. 45°				MOD. 5,35/.. 45°				MOD. 6,11/.. 45°				MOD. 6,88/.. 45°			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
4,58/4	95	4,58	8,84	5,35/4	134	4,58	9,77	6,11/4	181	4,58	10,34	6,88/4	237	4,58	10,95
4,58/5	114	5,72	9,99	5,35/5	160	5,72	10,91	6,11/5	214	5,72	11,48	6,88/5	279	5,72	12,09
4,58/6	133	6,86	11,13	5,35/6	185	6,86	12,06	6,11/6	248	6,86	12,63	6,88/6	322	6,86	13,24
4,58/7	151	8,01	12,27	5,35/7	211	8,01	13,20	6,11/7	281	8,01	13,77	6,88/7	364	8,01	14,38
4,58/8	170	9,15	13,42	5,35/8	237	9,15	14,35	6,11/8	314	9,15	14,92	6,88/8	406	9,15	15,52
4,58/9	189	10,30	14,56	5,35/9	262	10,30	15,49	6,11/9	348	10,30	16,06	6,88/9	449	10,30	16,67
4,58/10	208	11,44	15,71	5,35/10	288	11,44	16,63	6,11/10	381	11,44	17,20	6,88/10	491	11,44	17,81
4,58/11	226	12,58	16,85	5,35/11	314	12,58	17,78	6,11/11	415	12,58	18,35	6,88/11	534	12,58	18,96
4,58/12	245	13,73	17,99	5,35/12	339	13,73	18,92	6,11/12	448	13,73	19,49	6,88/12	576	13,73	20,10
4,58/13	264	14,87	19,14	5,35/13	365	14,87	20,07	6,11/13	482	14,87	20,64	6,88/13	618	14,87	21,24
4,58/14	283	16,02	20,28	5,35/14	390	16,02	21,21	6,11/14	515	16,02	21,78	6,88/14	661	16,02	22,39
4,58/15	302	17,60	21,43	5,35/15	416	17,60	22,35	6,11/15	548	17,60	22,92	6,88/15	703	17,60	23,53
4,58/16	320	18,30	22,57	5,35/16	442	18,30	23,50	6,11/16	582	18,30	24,07	6,88/16	745	18,30	24,68

MOD. 7,64/.. 45°				MOD. 8,40/.. 45°				MOD. 9,17/.. 45°				MOD. 10,70/.. 45°			
mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
7,64/4	301	4,58	11,28	8,40/4	375	4,58	12,00	9,17/4	460	4,58	12,72	10,70/4	663	4,58	13,89
7,64/5	353	5,72	12,43	8,40/5	438	5,72	13,15	9,17/5	536	5,72	13,86	10,70/5	765	5,72	15,03
7,64/6	406	6,86	13,57	8,40/6	501	6,86	14,29	9,17/6	611	6,86	15,00	10,70/6	868	6,86	16,18
7,64/7	458	8,01	14,71	8,40/7	565	8,01	15,43	9,17/7	686	8,01	16,15	10,70/7	971	8,01	17,32
7,64/8	510	9,15	15,86	8,40/8	628	9,15	16,58	9,17/8	762	9,15	17,29	10,70/8	1073	9,15	18,47
7,64/9	562	10,30	17,00	8,40/9	691	10,30	17,72	9,17/9	837	10,30	18,44	10,70/9	1176	10,30	19,61
7,64/10	615	11,44	18,15	8,40/10	754	11,44	18,87	9,17/10	912	11,44	19,58	10,70/10	1278	11,44	20,75
7,64/11	667	12,58	19,29	8,40/11	817	12,58	20,01	9,17/11	987	12,58	20,72	10,70/11	1380	12,58	21,90
7,64/12	719	13,73	20,43	8,40/12	881	13,73	21,15	9,17/12	1063	13,73	21,87	10,70/12	1483	13,73	23,04
7,64/13	771	14,87	21,58	8,40/13	944	14,87	22,30	9,17/13	1138	14,87	23,01	10,70/13	1585	14,87	24,19
7,64/14	824	16,02	22,72	8,40/14	1007	16,02	23,44	9,17/14	1213	16,02	24,16	10,70/14	1688	16,02	25,33
7,64/15	876	17,60	23,87	8,40/15	1070	17,16	24,59	9,17/15	1289	17,60	25,30	10,70/15	1790	17,16	26,47
7,64/16	928	18,30	25,01	8,40/16	1133	18,30	25,73	9,17/16	1364	18,30	26,44	10,70/16	1893	18,30	27,62



SMART STORAGE SOLUTIONS SOLUCIONES DE ALMACENAJE INTELIGENTE

SILOS AND STORAGE PLANTS
SILOS Y PLANTAS DE ALMACENAJE

hopper silos 60°

MOD. 3,50/.. 60°				MOD. 4,58/.. 60°				MOD. 5,35/.. 60°				MOD. 6,11/.. 60°				MOD. 6,88/.. 60°			
mod.	m3	H(M)	H(boca)	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H	mod.	m3	Hv	H
3,50/2	31.70	6.40	0.76	4,58/4	100	4,58	9,44	5,35/4	143	4,58	10,17	6,11/4	194	4,58	10,84	6,88/4	255	4,58	12,65
3,50/3	42.02	7.60	0.76	4,58/5	119	5,72	10,59	5,35/5	168	5,72	11,31	6,11/5	227	5,72	11,98	6,88/5	297	5,72	13,79
3,50/4	52.26	8.70	0.76	4,58/6	138	6,86	11,73	5,35/6	194	6,86	12,46	6,11/6	260	6,86	13,13	6,88/6	340	6,86	14,94
3,50/5	63.70	9.80	0.76	4,58/7	157	8,01	12,87	5,35/7	220	8,01	13,60	6,11/7	294	8,01	14,27	6,88/7	382	8,01	16,08
				4,58/8	175	9,15	14,02	5,35/8	245	9,15	14,75	6,11/8	327	9,15	15,42	6,88/8	425	9,15	17,22
				4,58/9	194	10,30	15,16	5,35/9	271	10,30	15,89	6,11/9	361	10,30	16,56	6,88/9	467	10,30	18,37
				4,58/10	213	11,44	16,31	5,35/10	296	11,44	17,03	6,11/10	394	11,44	17,70	6,88/10	509	11,44	19,51
				4,58/11	232	12,58	17,45	5,35/11	322	12,58	18,18	6,11/11	427	12,58	18,85	6,88/11	552	12,58	20,66
				4,58/12	251	13,73	18,59	5,35/12	348	13,73	19,32	6,11/12	461	13,73	19,99	6,88/12	594	13,73	21,80
				4,58/13	269	14,87	19,74	5,35/13	373	14,87	20,47	6,11/13	494	14,87	21,14	6,88/13	637	14,87	22,94
				4,58/14	288	16,02	20,88	5,35/14	399	16,02	21,61	6,11/14	528	16,02	22,28	6,88/14	679	16,02	24,09
				4,58/15	307	17,60	22,03	5,35/15	425	17,60	22,75	6,11/15	561	17,60	23,42	6,88/15	721	17,60	23,23
				4,58/16	326	18,30	23,17	5,35/16	450	18,30	23,90	6,11/16	595	18,30	24,57	6,88/16	764	18,30	26,38

