

迷你鏟裝機

PRO-SERIES



*Ramrod
Taskmaster
930 and 1350
Models*

RAMROD MINI SKID LOADERS

New "Pro-Series" Multi Purpose Models
offer more **POWER** and more
FEATURES than ever before!


**North America's 1st
Mini Skid Loaders**

E-Mail: eng-machine@weizhou.com.tw
Line : weizohul995 Skype : service450429 QQ : 1467808036
<http://www.weizhou.com.tw/Engmachine/i-skidloader/index.htm>

RAMROD SUPER POWER 1350 PRO-SERIES TRACK MODEL

MORE! Push-Pull Tractive Power

Ramrod's exclusive, patented "high-torque" hydraulic drive system provides 1,700 lbs. (771 kg) of tractive power. The high, uninterrupted output to hydraulic functions means great lift capacity as well as more power to drive any attachment. Power that proves itself with the tough trenching, digging, pushing, and pulling conditions of different work sites.



MORE! Hydraulic Pump Capacity

Ramrod employs two hydraulic pumps on all models – providing up to 14 gallons per minute (50 liters per minute) – and unlike many other, the hydraulic power can be applied simultaneously to all machine functions. Operators can choose between 7 GPM or 14 GPM output flows. Available on the 1350 Taskmaster models.



MORE! Lift Height and Capacity

Compact Utility vehicle operators said they needed to lift more and lift loads higher. Ramrod Taskmaster loaders do just that. Taskmaster model 1350 track units can lift 1350 lbs. (614 kg) to the 72" hinge pin and carry up to 2,700 lbs. (1,227 kg).



Stay Ahead With RAMROD Stay Ahead



The RAMROD Pro-Series 1350 provides SUPERIOR
These new models have been proven to deliver top performance and savings that business minded operators demand.

Tractive (Push-Pull) Power Capacity, lbs (kg).....	1700 (771)
Lift Capacity, lbs (kg).....	1350 (614)
Carrying Capacity, lbs (kg).....	2700 (1227)
Lift Height (to hinge pin).....	72" (183 cm)
Hydraulic Pump Capacity.....	7 to 14 GPM
Hydraulic Pumps.....	2
Relief Pressure.....	3000 PSI
Drive System.....	Track
Self-Levelling Loaders Arms Standard.....	Yes
Track Size.....	9" (23 cm)
Oil Filter.....	10 micron
Overall Height.....	87.8" (223 cm)


High Performance Tracks

Ramrod's high traction mud and dirt tracks get through dirt, mud and snow. "Turftred" tracks no lug pattern thus preserves turf. Changing standard to "Turftred" track (or vice-versa) can be done in under an hour.



Exclusive Ramrod Rigid Track System

Dedicated sprocket drive ensures positive traction in all conditions
Unique track tensioner provides great track tension
Sloped front of rubber track increases visibility



Rubber tracks with steel reinforcements - longer track life

Large diameter bogie wheels (with shielded roller bearings) prevent debris jams inside tracks



All Day Work Tanks - Large gas and diesel tanks means non-stop, all day on the job. Easily accessible fuel cap location.



Operator Padding - On handlebars and cooler area for increased operator comfort and ease of use.



Easy Single Hand Palm Steering Control speed, direction and steering with right hand - loader and attachments with left hand.



Instrumentation Readily visible tachometer hour-meter, low fuel and hydraulic oil warnings, key and light switches.

RAMROD... Lead With The Best



POWER for those day-in, day-out jobs.
The power, safety, increased productivity
operators are demanding.

Body Height..... 51.5" (130.8 cm)
Maximum Ground Speed..... 0-3.5 MPH
Length less bucket..... 67" (170 cm)
Length w/bucket..... 86.4" (219 cm)
Wheel Base..... 31" (78.7 cm)
Reach at 45 degree Dump12.5" (31.8 cm)
Angle of Departure..... 26 Degrees
Width..... 42" (106.7 cm)
Ground Clearance..... 6.5" (17 cm)
Start..... 12 volt electric
Choice of gasoline or diesel liquid cool
engines.



High Machine Under Clearance Unobstructed clean flow clearance is important working in loose, wet, uneven, rough soil conditions.



Handy Compartment Convenient place to store gloves and other small operator items. Available on most Ramrod models.



MORE! Safety
Exclusive self-levelling loader arms
Prevent load "fall back" on operator at full lift height, eliminates the danger of losing a

load during the raising and lowering process - provides excellent dump and rollback angles in any position.

WARRANTY

Ramrod's are covered by a 3 year warranty on machine frame and arms - a 2 year manufacture's engine warranty and a 1 year warranty on all other components.

Superior Rollback



30 degree bucket rollback angle transports dirt, snow, sand, mulch, etc. without spillage, even in fully lowered positions.

Full 85 ° Dump Angle



This superior dump angle empties loads completely, preventing sticking even with wet and sticky loads

MORE! Service Access

Ramrod's design allows easy access through both sides and the front. For even more access, the side pannels are removeable.



Greasable Pivot Points located throughout the machine and track assembly, lift arms, quick attach, etc. for greater wear.



Narrow Width get into confined areas, elevators, doorways - manoeuver in obstructed area's. Transports easily in trailer or pick up truck.



Dripless Hydraulics Easy access auxiliary hydraulic outlets are quick attach - clean connections every time - conveniently on front of lift arms.



Enclosed Drive Chain Fully enclosed drive system protects #60 heavy chain from outside debris, rocks and dust - better performance in various job site conditions.

PRO-SERIES FEATURES AND BENEFITS

More & More Features!

- * Front Halogen Lights
- * Lift Lugs
- * Tie Down Lugs
- * Standard Hydraulic Oil Coolers
- * Higher Hydraulic Pump Capacity
- * Specialty Roofers, Demolition, Rental Models etc.

North America and Europe Certified to meet sound and other standards. All engines meet required N.A emission standards. Capacities in accordance with ASAE standards.



Low Step Platform Safe and easy on/off slip-resistant platform- with side and rear protection. Prevent operator accidents - minimize claims.




Powder Paint Finish Baked-on, tough, durable outer protection provides a new standard of finish and quality

RAMROD SUPER POWER 930 PRO-SERIES 4WD MODEL

Unique Variable Power Control

Ramrod's variable power adjustments allow the operator to direct the hydraulic power where it is needed the most: to the drive wheels or tracks or to the hydraulic attachments. This provides the operator full control over the hydraulic output, and more choice when working in a variety of conditions. It is great for the first time operator, or in rental centres where operators may be infrequent users.



The RAMROD Pro-Series 930 Mini Skid Loader provides great performance all day long. This 4 wheeled compact utility vehicle turns on a dime, gets in and out of tight spaces and offers new variable hydraulic power control for various attachments and work applications

Great Height and Lift Capacity



Compact utility vehicle operators said they needed to lift more and lift loads higher. Ramrod Taskmaster loaders do just that. Taskmaster model 930 4WD tire units can lift 930 lbs. (422 kg) to the 72" hinge pin and carry up to 2,000 lbs. (907 kg).

Unobstructed Visibility - A Full 360°

Ramrod Taskmaster's compact body style (registered) design provides unobstructed and safer viewing of the attachment being used and work area in general.

All Day Fuel Tanks

The large Ramrod Taskmaster fuel tanks save time and money by working on the job all-day long without refueling. The 6.5 US gallon (25 liter) tanks are designed to be accessible for easy fueling, yet out of the way while working.



Tractive (Push-Pull) Capacity, lbs (kg).....	1100 (499)
Lift Capacity, lbs (kg).....	930 (422)
Carrying Capacity, lbs (kg).....	2000 (907)
Lift Height (to hinge pin).....	72" (183 cm)
Hydraulic Pump Capacity.....	0 to 11 GPM
Hydraulic Pumps.....	2
Relief Pressure.....	3000 PSI
Drive Chains #60 Heavy.....	4
Self-Levelling Loaders Arms Standard.....	Yes
Oil Filter.....	10 Micron
Overall Height.....	87.8" (223 cm)
Body Height	50.5" (128.3 cm)
Maximum Ground Speed.....	0-4 MPH
Length w/bucket.....	81.5" (207 cm)
Length less bucket.....	59" (149.9 cm)
Wheel Base.....	27.5" (70 cm)
Reach at 45 degree Dump.....	13.5" (31.8 cm)
Angle of Departure.....	26 degrees
Width.....	32" (81.3 cm) to 40" (101.6 cm)
Ground Clearance.....	6.5" (17 cm)
Start.....	12 volt electric
Choice of gasoline or diesel engines	

Tires Specific To Your Job Needs



Chevron - high traction for dirt and mud



Turf Tires - also runs smooth on concrete



Heavy Duty Push-pull on dirt, mud, pavement



4" tires in solid or regular air filled models

OVER 60 "GET THE JOB DONE" ATTACHMENTS

Ramrod Attachments are 'Quick-on, Quick-off' and fit most compact utility loaders



Post Hole Augers
Direct drive head with 6,800 lb/in torque (peak) up to 105 RPM. Bits in 6, 9 and 12 inches. Also planetary heads.




Standard Earth Augers
Direct drive heads as at left. Bits in 18, 24 and 30 inches. Available with planetary drive heads.



Tree Auger Bits
in 18, 24 and 30 inch bits, designed specially for planting trees. Direct drive or planetary drive heads.



Planetary Drive Power Heads
with 17,600 lb/in torque (peak) - up to 60 RPM on the Ramrod 950.



Material Bucket
with high carbon cutting edge in 31, 36, 42 and 44 inch widths. Tooth bars available.




Heavy Duty Material Bucket
with replaceable cutting edge in 42 and 44 inch widths. Tooth bars available.



Grated Bucket separates rubble and stones from sand or earth. 43 in. wide with 2.5 in. tooth spacing and removable dirt plate.



Hi-Reach Rollover Bucket
increases dump height to over 79 inches. Larger 42 inch wide bucket.



High Capacity Mulch Bucket for handling snow, mulch and other light materials. 42" (14.7 cu ft.) and 54" (18 cu ft.) sizes.



4-in-1 Multi-Purpose 44" Bucket for dipping, dozing, grapping, leveling, loading, etc. Hydraulics included. Tooth bar available.



Backhoe Attach to regular bracket. Two models: one digs to 6'6" with 9' reach the other 8'6" with 11' reach. 12" buckets. Joystick control.



Mini Dipper digs to 60" deep with 12" bucket. Uses the mini-skid steer turn as the swing and the loader arms as boom.




Dozer Blade
Digging, backfilling, landscaping, moving snow. 48" blade with 30 degree left or right hydraulic angling.



Hay and Manure Fork with Grapple - Four strong grapple tines with forks (or bucket) handle various materials. Hydraulically operated.



Hydraulic Hammer - for the tough demolition work: breaker with 500 to 1,300 blows per minute at up to 184 ft. lbs. complete kit.



Loose Material Handler - collects, then compresses and holds loose, sloppy type materials and debris, wood chips, some manures.



Carry-all-Leveler
Level loose dirt, sand etc. or transport various items. 48 by 24 inches, steel reinforced frame.



Nursery Tree Tongs
Hydraulic operated 36" nursery tongs, with cushion valve, to gently carry up to 24" balled trees.




Pallet Lift Forks - Carry and handle many items - two 41 inch fork tines adjust to 30 inches wide. Safety back guard.



Paving Stone Mover
Hydraulically clamps and carries a stack of paving stones or bricks. 42" wide open 26" closed, by 10" deep x 34" high.



Ripper
Uses two 12 inch long teeth to loosen packed soil, debris and other material.



Snow Blower - Two Stage, hydraulically driven, with discharge spout adjustable for distance and direction. 40" or 60" widths.




42 Inch Rotary Tiller
Tills up to 6" deep, reversible tines to clear jams, reversible reel to till in either direction.



Roll Sod Installer - Saves labor costs - installs a semi-trailer of sod in hours. Also easily converts to nursery tongs.



Trenchers - Hydraulic drive unit cuts up to 36" deep, in 4" or 6" widths. Optional 4" crumbler to clean debris from trench available.



Vibratory Plow-Compactor
Pull pipe or cable to 12" deep in difficult soil with minimum surface disturbance. 8" by 10" rectangular compactor shoe compacts sub-bases.



Rotary Broom - Hydraulically driven, 48" wide, 24" diameter, 30 degree left of right angling, steel and poly bristles.



Cement Bowl - 2.2 cu. ft. capacity mixer bowl, attaches easily to Ramrod earth auger's direct drive heads. Mix, haul and pour on your job site.



Multi Purpose Tool Bar - Three tools in one: ripper (with 3 tines), tow bar and lift boom.




Grapple and Bucket - Includes two independent hydraulically controlled grapples, with base bucket unit.




Grapple with Tines - loose materials drop through - two independent hydraulically controlled grapples.



Spade Bucket - 42" (4.9 cu. ft.) bucket with pointed spade front. Lift and carry old roofing materials etc.



Curb Mover - Clamps and standard concrete parking curbs, 40' long boom, hydraulically.



Tooth Bars - Available as a bolt-on attachment for all bucket sizes. Easy-on, easy-off.

More Attachments Available

- *40" Boom, with hook and chain.
- *Fork Lift Masts - 96"2, 000 lb. lift capacity
- *Large 4.4 cu. ft. stand alone cement bowls.
- *Landscape Rakes
- *Brush Mowers
- *Post Pounders
- *Boring Tools
- *Stump Grinders
- *Tree Spades
- *Conversion Kits

If you do not see it, please call Ramrod

**Over
30
Years**

Ramrod operators tell us they are improving productivity while reducing labor costs

The key to any equipment is on-the-job-site capabilities and, according to thousands of Ramrod owners, they are more than proving their worth: productivity increased, lower labour costs, safer working conditions - overall greater return on investment.

**Quality Compact
Utility loaders
since 1980**

"First in America"



The new "shock-proof" Ramrod Taskmasters engineered with heavier uniframe construction - laser cut for precision - extra gusseting reinforcements. New, stronger quick-on, quick-off brackets - heavy duty pins at arm pivot points - heavy duty lift cylinder cross tubes - heavy duty machine axles.

Foam padding on control panel plus hydraulic oil cooler.



Ramrod Trailers Take The Tools To The Job

16-foot wood deck trailer with 5-inch channel construction, tandem 3,500 lb. axles (7,000 lb. GVW), 15-inch radial tires, brakes on both axles, teardrop fenders, rear loading



ramp, 2 lockable over-the-fender tool chests. Available in various configurations of attachment mount points.

OTHER AVAILABLE RAMROD MINI LOADERS

* 4WD Estate Model *Walk Behind Loaders *Roofers Edition



*Track Estate Series *Demolition Units *Remote Control Models



Warranty

Ramrod's are covered by a 3 year structural warranty on machine frame and arms - a 2 year manufacture's engine warranty and 1 year warranty on all other components.

**3
Year**

Parts and Service

Toll-free and web-based support guarantees that help is only a call away. Ramrod provides same day processing of parts, whole goods and service requests.

Customer Support and Factory Training

Help eliminate costly downtime with the help of qualified and friendly experts. Ramrod equipment is committed to providing the very best in technical training. Simply call to book an appointment at one of Ramrod dealers' product, sales and service seminars. Hands-on demonstrations, along with classroom knowledge on how Ramrod can work well for you.

Financing

Ramrod is here to help. A quick call will provide a complete list of the best options for you or your business. Credit approved applicants may participate in special Ramrod promotional options, such as low, payments, reduced APR or deferred payment plans.



MADE IN NORTH AMERICA

 **WEIZHOU**

瑋洲企業有限公司

地址：台灣高雄市前鎮區武德街135巷24號

信件請寄：高雄市郵政信箱1394號

Tel：07-7169249 Fax：07-2134620